



*Burris*

PRODUCT CATALOG



WHITE RIVER

# Burrís

# SIGNATURE HD™

## RIFLESCOPES

When you're ready to step up, the Signature HD is the right choice. Designed to make the most of your experience, with the precise features, reticles, reliability and ease of use that seasoned hunters like you demand -- and the monsters you're after can't escape.



### SIGNATURE HD RIFLESCOPE 5-25x50mm

ITEM NUMBERS:  
**200533**  
RETICLE:  
**BALLISTIC E3™**  
ILLUMINATED

ITEM NUMBERS:  
**200534**  
RETICLE:  
**FINE PLEX™**

ITEM NUMBERS:  
**200535**  
RETICLE:  
**6.5 CM™**  
ILLUMINATED

- Great choice for NRL 22 precision rimfire matches
- Available with dedicated 6.5 Creedmoor reticle
- Zero stop turrets

MAIN TUBE SIZE: 30 mm



WATERPROOF



SHOCKPROOF



FOGPROOF



NITROGEN-FILLED





# Burris

# BURRISCONNECT

## MOBILE APP

A ballistics powerhouse at your fingertips, the BurrisConnect app was built to be the solution for operating the Veracity PH, sharing media from Burris Thermal and the go to ballistics tool for hunting and shooting enthusiasts.

Ever evolving, BurrisConnect offers the latest in bullet data to build dope cards, reticle maps, Eliminator data tables, and custom rifle profiles.

*Download BurrisConnect and you will have a Dowload BurrisConnect and you will have a Dowload BurrisConnect.*

SCAN HERE FOR  
BURRIS CONNECT  
FREE DOWNLOAD



# BURRIS BALLISTIC SERVICES 2.0

[BALLISTICS.BURRISOPTICS.COM](http://BALLISTICS.BURRISOPTICS.COM)

The newly updated Burris Ballistic Services is a set of sophisticated online ballistic tools that will allow you to master any Burris ballistic compensating reticle, build a dope card, program your Eliminator riflescope, or order custom elevation knobs. Burris Ballistic Services will turn you into a reticle expert and a pro on the shooting range.



**BALLISTIC SERVICES**

[BurrisOptics.com/Ballistics](http://BurrisOptics.com/Ballistics)

## BALLISTIC RETICLE ANALYSIS CALCULATOR

Burris offers a wide variety of reticles, and this tool ensures you can utilize their full potential.



Ballistic Plex™



Ballistic Mil-Dot



Ballistic Plex E1™ FFP Varmint



XTR II Ballistic 5.56 Gen 3



Ballistic CQ™

**STEP 2**

**Select Ammunition Type**

Factory load     Hand Load

---

**Factory Ammo Details**

Select Ammunition manufacturer:

**HORNADY**

Select Cartridge:

**6.5 CREEDMOOR**

Select Bullet Weight/Style/Type/Description:

- 120gr Match A-MAX - 2910fps BC: 0.485
- 120gr GMX Superformance - 3010fps BC: 0.490
- 129gr SST Superformance - 2820fps BC: 0.485
- 120gr IntraBond Superformance - 2850fps BC: 0.485
- 140gr Match A-MAX - 2710fps BC: 0.585
- 100gr Spire Point - BC: 0.358
- 120gr GMX - BC: 0.466
- 120gr A-MAX - BC: 0.465
- 123gr A-MAX Grendel LBC Lapua - BC: 0.485
- 120gr Spire Point (copper-kulov) - BC: 0.445

Muzzle Velocity:       Ballistic Coefficient:

## BULLET LIBRARY

Ballistics really begin with your bullet. The better the bullet info, the better your results. The Burris Ballistic Services tools are centered around the best bullet and cartridge libraries in the business: almost 7,000 different cartridges and bullets are included from nearly every manufacturer.



## DOPE CARD

The Dope Card tool was designed with the serious shooter in mind, but it's also a great way for anyone to learn more about long-range shooting. The Burris Dope Card tool provides a level of detail that goes beyond the vast majority of ballistic tools available now.





## ELIMINATOR LASER RIFLESCOPE

The Eliminator LaserScope requires basic programming to work correctly. Using our industry-leading bullet library and ballistic engine, you can now quickly get the ballistic information needed to program your Eliminator scope.

## CUSTOM SERVICES AND TECHNICAL HELP

The Burris Custom Shop can help you upgrade the knobs and reticles on many of our riflescopes. Prices will vary depending upon the model and upgrade desired. Here are some approximate costs:

- Knob upgrades start at \$40
- Custom MAD knobs start at \$50
- Reticle changes start at \$60

For specific costs and ordering, call the Technical Support line at **888-440-0244**.

## M.A.D. SYSTEM

The Modular Adjustment Dial (M.A.D.) System lets you choose from exposed competition-style knobs or capped knobs for windage and elevation adjustments.

You can also add custom knobs with laser-etched markings that perfectly match the trajectory of any ammunition.

The following configurations are possible in the M.A.D. System:

- Capped knobs with Mil or MOA markings
- Exposed knobs with Mil or MOA markings
- Capped knobs with custom trajectory markings
- Exposed knobs with custom trajectory markings

Shooters will be able to order custom knobs through Burris Customer Service at <https://ballistics.burrisoptics.com/>



## CUSTOM KNOBS

Burris now offers custom knobs for most of our riflescopes. This function allows you to modify the elevation knob to match your exact cartridge and environmental shooting conditions.

The following list of Burris riflescopes can accept custom knobs and options can be ordered using the Custom Knob tool:

		ELEVATION DIAL		WINDAGE DIAL	
		Exposed (non-M.A.D.)	Race Dial	Low Capped	Low Exposed
<b>XTR III</b>					
201200	3.3-18x50mm	•	•	•	•
201201	3.3-18x50mm	•	•	•	•
201202	3.3-18x50mm	•	•	•	•
201210	5.5-28x56mm	•	•	•	•
201211	5.5-28x56mm	•	•	•	•
201212	5.5-28x56mm	•	•	•	•
<b>XTR II</b>		M.A.D. Capped	M.A.D. Exposed	M.A.D. Capped	M.A.D. Exposed
201018	1-8x24mm	•	•	•	•
201019	1-8x24mm	•	•	•	•
<b>VERACITY</b>		M.A.D. Capped	M.A.D. Exposed	M.A.D. Capped	M.A.D. Exposed
200621	2-10x42mm	•	•	•	•
200636	3-15x50mm	•	•	•	•
200641	4-20x50mm	•	•	•	•
200651	5-25x50mm	•	•	•	•
200652	5-25x50mm	•	•	•	•

- Installed on scope
- Packaged with scope
- Optional - contact for purchase

- AR RIFLESCOPES
- C4 PLUS
- DROPTINE
- FULLFIELD E1
- MSR RIFLESCOPES
- PREDATOR QUEST
- VERACITY
- XTR II





# TRUST US WITH YOUR HUNT

Finding corners of the world still devoid of a cell signal. The relationships solidified while hanging a trophy in camp. The laughter around the campfire as the last flame hangs on. Those familiar with Burris know well what matters. It's about self-reliance. Respect for the game and those you hunt beside. Pushing yourself season after season to be your absolute best. For more than 40 years we've been right there with you, pushing ourselves for the same reasons: we know exactly how much the season means to us, and that's why you can forever trust your hunt to Burris.



*Burris*

# SOLID FOUNDATION FOR SUCCESS

Burriss has built a reputation for some of the most solid, reliable rings and bases on the market. Our quality rings, mounts and accessories create the perfect shooting solution. You'll stay on target round after round with gear from Burriss.



*Burriss*

# Burrís RINGS & MOUNTS

Hunters and tactical shooters count on Burris mounting solutions, with a wide variety of options that securely mount a riflescope onto any Weaver or Picatinny-style rail. These rings and bases provide long-lasting holding power and durability for hunters, duty officers and competitive shooters.



AR-P.E.P.R.  
Quick-Detach  
Model





## AR-SIGNATURE QD™ P.E.P.R.™ MOUNTS

- The new streamlined design with QD mount insures ¼ MOA re-mount capability and allows for use of back up iron sights while maintaining proper eye-relief. Available in 30-, 34- and 35-mm options with Burris' Signature polymer ring inserts, it provides adjustment from 5 to 40 MOA without using windage/elevation knobs.

### AR-P.E.P.R.™ MOUNTS

- Full ring and base mounting solution in one
- Allows up to 2 inches of forward scope positioning
- Provides optimum eye relief and full field of view
- Includes both smooth and Picatinny ring tops
- Quick-detach models allow for fast mounting



Item	Size	Weight	Dimensions					QD MOUNT	CANT
			A	B	C	D	E		
410341	30 mm	8.7 oz.	1.00 in.	1.75 in.	1.60 in.	4.15 in.	2.15 in.		0 MOA
410342	30 mm	8.7 oz.	1.00 in.	1.75 in.	1.60 in.	4.15 in.	2.15 in.	•	0 MOA
410343	1 in.	8.3 oz.	1.00 in.	1.57 in.	1.50 in.	4.15 in.	2.15 in.		0 MOA
410344	1 in.	8.3 oz.	1.00 in.	1.57 in.	1.50 in.	4.15 in.	2.15 in.	•	0 MOA
410345	34 mm	6.9 oz.	0.68 in.	1.90 in.	1.35 in.	4.90 in.	2.90 in.		20 MOA

Item	Size	Weight	Dimensions						QD MOUNT
			A	B	C	D	E	F	
410352	30 mm	10.33 oz.	.81 in.	2.13 in.	1.5 in.	5.0 in.	3.0 in.	3.45 in.	•
410353	34 mm	10.09 oz.	.76 in.	2.28 in.	1.5 in.	5.0 in.	3.0 in.	3.45 in.	•
410354	35 mm	10.09 oz.	.76 in.	2.28 in.	1.5 in.	5.0 in.	3.0 in.	3.45 in.	•



# Burrís RINGS & MOUNTS



## Signature Universal Dovetail Rings

Item	Size	Height	Finish
<b>Signature Universal Dovetail</b>			
420501	1 in.	Medium	Matte
420511	1 in.	High	Matte
420578*	30 mm	Medium	Matte
420581*	30 mm	High	Matte
420582*	30 mm	Extra-High	Matte
<b>Signature Double Dovetail</b>			
420561	1 in.	Medium	Matte

\*30 mm comes with "zero" inserts and +/- .010 inserts for both front and rear rings.

## SIGNATURE RINGS

- Revolutionary Pos-Align® Inserts technology
- Pos-Align Inserts guarantee perfect centering and maximum scope-to-ring contact for tremendous gripping power without damaging the scope finish
- Lets you virtually sight in your gun without moving the scope adjustments
- Corrects misalignment caused by off-center receiver holes
- Corrects for bases or rings being slightly off-center
- No need for expensive tapered bases or shimming for thousand-yard shooting
- Solid steel rings are ideal for hunting

## Signature Zee Rings

Item	Size	Height	Finish
<b>Signature Zee Rings (Weaver-Style)</b>			
420520	1 in.	Medium	Black Gloss
420521	1 in.	Medium	Matte
420522	1 in.	Medium	Nickel
420530	1 in.	High	Black Gloss
420531	1 in.	High	Matte
420532	1 in.	High	Nickel
420585*	30 mm	Extra-High	Matte
420587*	30 mm	High	Matte
420588*	30 mm	Medium	Matte

## Signature Rimfire/Airgun Rings

Item	Size	Height	Finish
<b>Signature Rimfire/Airgun</b>			
420554	1 in.	Medium	Matte
420556	1 in.	High	Matte

Comes with clamps for 11 mm and 3/8" dovetails

## Pos-Align® Offset Inserts

### Signature Pos-Align® Offset Inserts

#### Installation Kit

626019 1 each of +/- .005, +/- .010, +/- .020

#### Gunsmith Kit

626024 10 each of +/- .005, +/- .010, +/- .020


#### Individual Inserts

626017 +/- .010 Eccentric Offset

626018 +/- .020 Eccentric Offset

## RING HEIGHTS

Ring Heights	Low	Medium	High	Extra-High
Signature 1 In.		0.77	0.89	
Signature 30 mm		0.78	0.89	1.02
Zee Signature 1 In.		0.77	0.92	
.22 Signature Deluxe		0.90	1.29	
Zee Signature 30 mm		0.81	0.93	1.18



Dimensions listed are from the center line of the scope tube to the bottom of the ring.



## ZEE RINGS

- Tough, solid steel
- Weaver-style
- Machined to exacting tolerances to handle recoil or abuse

Item	Size	Height	Finish	Quick-Detach
<b>Weaver-Style</b>				
420031	1 in.	Low	Matte	•
420034	1 in.	Medium	Matte	•
420037	1 in.	High	Matte	•
420044	30 mm	Medium	Matte	
420077	30 mm	High	Matte	
420079	1 in.	Low	Nickel	
420080	1 in.	Low	Black Gloss	
420081	1 in.	Medium	Black Gloss	
420082	1 in.	High	Black Gloss	
420083	1 in.	Low	Matte	
420084	1 in.	Medium	Matte	
420085	1 in.	Medium	Nickel	
420086	1 in.	High	Nickel	
420087	1 in.	High	Matte	



Zee Ring, Standard Model

Zee Ring, Quick-Detach Model

## CZ-STYLE RINGS

- Solid steel
- Designed for mounting optics on CZ rifles

Item	Size	Height	Finish	Action
<b>CZ 550</b>				
420130	1 in.	Medium	Matte	Long-Action
<b>CZ 527</b>				
420140	1 in.	Medium	Matte	Short-Action



## TIKKA® T3® RINGS


- Solid steel
- Ring and base solution specifically designed for Tikka® T3® rifle

Item	Size	Height	Finish
<b>Tikka T3 Rings</b>			
420135	1 in.	Medium	Matte
420136	30 mm	Medium	Matte
420137	30 mm	High	Matte



## RING HEIGHTS

Ring Heights	Low	Medium	High	Extra-High
Standard 30 mm		0.78	0.89	1.02
Zee 1 in. & Quick-Detach 1 in.	0.63	0.76	0.95	
Zee 30 mm		0.81	0.93	1.18
CZ (All)		1.00		
1-in. .22 Rings (All)		0.80	0.95	
Tikka T3		1.125	1.250	



## RIMFIRE/AIRGUN RINGS

- Available in solid steel or aluminum
- Securely mount your rimfire or airgun optic

Item	Size	Height	Finish	Material	Quick-Detach
<b>.22 Ring Pairs (fits in 22-in. grooved receivers)</b>					
420069	1 in.	Medium	Matte	Steel	
420072	1 in.	Medium	Black Gloss	Steel	
420073	1 in.	High	Black Gloss	Steel	
420076	1 in.	High	Matte	Steel	
420068	1 in.	Medium	Matte	Steel	•



Dimensions listed are from the center line of the scope tube to the bottom of the ring.

916  
915  
10"  
912  
12'30"

# Burrís

# RINGS & MOUNTS

## XTREME TACTICAL™ 2-PIECE BASES


- Solid steel bases work with all Weaver-style, Picatinny-style, and mil-spec rings
- Engineered with minimal height and weight
- Mil-spec cross slots guarantee rock-solid attachment
- Matte finish



Item	Style	Reversible Front Base
410600	XTB-700/7 (Remington® 700 & 7 Short & Long)	•
410605	XTB-70/Express (Winchester® 70 Short, Long & Express)	•
410606	XTB-70 WSS (Winchester® 70 Short, Long & SXR)	•
410615	XTB-SavR (Savage® Short & Long Round Rear)	•
410620	XTB-SavF (Savage® Short & Long Flat Rear)	•
410625	XTB-ABOLT (Browning® A-Bolt Short & Long)	•
410630	XTB-TIKKA® (Tikka®)	•
410635	XTB-SAKO® Dovetail (SAKO® Dovetail Steel Base Low Profile)	•

## RUGER®-TO-WEAVER BASE ADAPTER

- For use with Zee Rings
- Mounts optics onto Ruger® firearms that feature the proprietary Ruger® integral mounting system



Item	Compatible with Ruger® Firearm
410990	M77®, Super Redhawk®
410991	No. 1, 77/22®, 77ML®, 77/44®, Mini-14®, Redhawk®
410992	M77® for use with Eliminator® LaserScope®

## XTREME TACTICAL™ 1 PIECE BASES

The new Xtreme Tactical one-piece bases offer the perfect mounting solution for precision shooters. In addition to greater strength and rigidity, the 25 MOA cant offers extended range capability.

- Milled from a single piece of solid steel
- Compatible with all Weaver-style, Picatinny-style rings
- Designed to work with both short and long actions
- Matte finish



Item	Style	MOA Cant
410650	XTB-Sav Round Rear Long	25
410651	XTB-Sav Round Rear Short	25
410652	XTB-700 Long Action - Howa 1500 Long Action	25
410653	XTB-700 Short Action	25
410655	XTB-Howa 1500 Short Action	25
410658	XTB-TIKKA® (Tikka®)	25
410660	XTB-Sav Round Rear Long	No Cant
410661	XTB-Sav Round Rear Short	No Cant
410662	XTB-700 Long Action - Howa 1500 Long Action	No Cant
410663	XTB-700 Short Action	No Cant
410665	XTB-Howa 1500 Short Action	No Cant
410668	XTB-TIKKA® (Tikka®)	No Cant



## BURRIS FOREVER WARRANTY™

Every Burris optic is covered by the Burris Forever Warranty™. We will repair or replace your Burris optic if it is damaged or defective. The warranty is automatically transferred to future owners.

- No repair or replacement charge
- No questions asked
- No warranty card needed
- No receipt needed



## LEGAL INFORMATION

The following are trademarks of Burris Company, Inc.: AR Riflescopes™, AR RifleScope™, AR-1X™, AR-332™, AR-536™, AR-F3™, AR-P.E.P.R.™, AR-Pivot Ring™, Quick Detach, AR-Tripler™, Ballistic CQ™, Ballistic CQ™-1X, Ballistic Mil-Dot, Ballistic Plex E1™, Ballistic Plex E1™ FFP, Ballistic Plex E1™ FFP Varmint, Ballistic Plex E1™ MV, Ballistic Plex™, Ballistic AR™, Ballistic Circle Dot™, Ballistic Dot™, Burris® C4 Plus™, C4 Wind MOA™, Double Dovetail™, Droptine™, Electro-Dot™, Eliminator® III LaserScope® Series, FastFire™ II, FastFire™ III, FastFire™, Forever Warranty™, FourX™, Fullfield E1™, Fullfield II™, Fullfield TAC30™, G2B Mil-Dot™, High Country™, HiLume™, Horus® H591™, Long-Range MOA, LRS™, MSR Riflescopes™, MTAC™, Oracle™, Pos-Align® Inserts, Posi-Lock™, PTC™, Ruger®-to-Weaver Base Adapter, Scope Tube FastFire™ Mounts, SCR™, SCR™ Mil, SCR™ MOA, Signature Rings™, SkullTac™, SpeedBead™, StormCoat™, T.M.P.R.™, Timberline™, Veracity™, WindMap™, XTB™, XTR II™, XTR III™, XTR Signature Rings™, Signature HD™, Xtreme Tactical™ Bases, Xtreme Tactical™ Rings, XTS-2575™.

The following firearm brand and model names are registered trademarks of their respective owners: Benelli Super Black Eagle, Super Black Eagle II, M1, M2, Montefeltro, Ultra Light, Super Nova, R1, ARGO, Legacy, Sport II, Super Sport, Cordoba; Beretta 92, 96, 90-TWO, Cougar, PX4 Storm; Browning Silver Auto, Maxus, Gold; Franchi I-12; Glock; Marlin 336, 444, 1895. Remington 870, 1100, 1187; Sig Sauer P226; Smith & Wesson M&P; Springfield XD; Stoeger 2000, P-350, 3500. Winchester SX3, M94. CZ is a registered trademark of CZ-USA. Franchi is a registered trademark of Franchi S.P.A. Kimber is a registered trademark of Kimber Mfg., Inc. 10/22, 77/22, 77/17, 77/44, 77/ML, Blackhawk, Mark I, Mark II, Mark III, Mini-14, M77, Redhawk, Ruger, Ruger No. 1, Super Blackhawk Hunter, and Super Redhawk are registered trademarks of Sturm, Ruger & Co., Inc. Marlin is a registered trademark of Remington Arms Company, LLC. Smith & Wesson is a registered trademark of Smith & Wesson Corp. Taurus is a registered trademark of Forjas Taurus S.A.

Tikka is a registered trademark of Sako Ltd., Corp. Torx is a registered trademark of Textron Inc. Leupold is a registered trademark of Leupold & Stevens, Inc. Predator Quest is a registered trademark of Predator Quest, LLC. Realtree Max-1® is a registered trademark of Jordan Outdoor Enterprises, Ltd.

Horus® H591™ is a registered trademark of Horus Vision, LLC produced upon license from Horus Vision, LLC and may be covered by pending or issued patents or may have certain limitations. Please visit Horus Vision, LLC's website for more information: [www.horusvision.com](http://www.horusvision.com).

Burris products are protected by one U.S. Patents: [burrisoptics.com/patents](http://burrisoptics.com/patents).

All prices and specifications are subject to change without notice.

© Copyright 2023 Burris Company

# Burris GEAR

Style up with the latest Burris apparel and give yourself the performance edge with these quality Burris accessories.

**VISIT OUR NEW ONLINE STORE TO FIND THE LATEST  
BURRIS BRANDED ITEMS!**

**[WWW.BURRISOPTICS.COM](http://WWW.BURRISOPTICS.COM)**

## CUSTOMER SERVICE

### REPAIRS

For product support of warranty service go to <https://burris.supportsync.com>

### BALLISTICS SERVICES

Utilize our world-class bullet library to match your loads with Burris reticles, create DOPE cards, get your Eliminator drop numbers, pair with Veracity PH and Burris Thermal Handhelds. [burrisoptics.com/ballistics](http://burrisoptics.com/ballistics)

### PRODUCT MANUALS

Download Burris Optics product manuals at [burrisoptics.com/customer-service/manuals](http://burrisoptics.com/customer-service/manuals).

### FAQS

Find answers to common Burris Optics questions at [burrisoptics.com/customer-service/faqs](http://burrisoptics.com/customer-service/faqs).

### REBATES, PROMOTIONS AND NEW PRODUCTS

Sign up to receive emails about rebates, promotions and brand new products. Go to [burrisoptics.com/email-subscription](http://burrisoptics.com/email-subscription).



*Burris*

BURRIS COMPANY  
331 E. 8TH STREET  
GREELEY, COLORADO 80631  
PHONE: 1-888-440-0244  
**WWW.BURRISOPTICS.COM**

© 2023 Burris Company. All rights reserved.  
Burris Company is owned by Beretta Holding S.p.A.